

Endometrium

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C54.0-C54.9, and including all morphology codes except those indicating benign neoplasms. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 182.0-182.0-182.1, and 182.8

1994 Washington State Residents

Incidence and Mortality Summary by Sex

with rates per 100,000 and age-adjusted to 1970 US census population

Incidence			
	Male	Female	Total
All Reportable Cancers	n/a	741	n/a
Total Incidence Rates	n/a	24.9	n/a
Invasive Cancers*	n/a	725	n/a
Invasive Incidence Rates*	n/a	24.3	n/a
1994 National Rates*	n/a	21.3	n/a

*Excludes in situ cases


Mortality			
	Male	Female	Total
Deaths	n/a	40	n/a
Mortality Rates	n/a	1.0	n/a
1994 National Rates	n/a	1.7	n/a

1994 Washington State Residents

Stage at Diagnosis

Total Incidence and Percents

	All Stages	Localized
5-Year Survival Rates (US)	84.7%	95.6%




Endometrium

1994 Washington State Female Residents

Age-Specific Incidence Rates


By Sex



Washington State Female Residents

Incidence and Mortality Rate Trends


Age-adjusted to 1970 US census population



Endometrium


1994 Washington State Female Residents

Incidence Rates by PUMS Regions with rates in []'s and 95% CIs in |—| Age-adjusted to 1970 US census population



1994 Washington State Female Residents

Death Rates by PUMS Regions with rates in []'s and 95% CIs in |—| Age-adjusted to 1970 US census population




* Region 3: Chelan, Douglas, Kittitas & Okanogan
Region 13: Adams, Ferry, Grant, Lincoln, Pend Oreille & Stevens

Region 12: Cowlitz, Klickitat, Skamania & Wahkiakum
Region 17: Asotin, Columbia, Garfield, Walla Walla & Whitman

Endometrium

1992-1994 Washington State Female Residents

Average Annual Incidence Rates by County with rates in []'s and 95% CI's |—| census population




NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases is less than 5.

Endometrium

1992-1994 Washington State Female Residents

Average Annual Mortality Rates by County with rates in []'s and 95% CI's |—| census population



NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of deaths is less than 5.

Endometrium

1992-1994 Washington State Female Residents

Average Annual Incidence and Deaths by County

with Age-Adjusted Rates and 95% Confidence Intervals

County	Incidence					Deaths				
	1992-1994 Annual Average					1992-1994 Annual Average				
	Average New Cases per Year	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		Average Deaths per Year	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
Adams	2	28.3	(11 - 65)	32.3	(12 - 72)	0	n/c	n/c	n/c	n/c
Asotin	3	20.2	(8 - 47)	23.6	(10 - 51)	0	n/c	n/c	n/c	n/c
Benton	8	11.2	(7 - 17)	13.5	(9 - 20)	0	n/c	n/c	n/c	n/c
Chelan	5	11.8	(6 - 23)	14.2	(8 - 26)	1	n/c	n/c	n/c	n/c
Clallam	12	16.9	(11 - 27)	21.0	(14 - 32)	2	2.7	(1 - 11)	3.7	(1 - 12)
Clark	37	20.5	(17 - 25)	25.6	(21 - 31)	3	1.1	(0 - 3)	1.6	(1 - 4)
Columbia	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Cowlitz	17	26.0	(19 - 36)	31.1	(23 - 42)	1	n/c	n/c	n/c	n/c
Douglas	4	19.7	(10 - 39)	21.6	(11 - 41)	0	n/c	n/c	n/c	n/c
Ferry	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Franklin	5	23.4	(13 - 41)	25.0	(13 - 44)	0	n/c	n/c	n/c	n/c
Garfield	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Grant	10	23.5	(15 - 36)	28.3	(19 - 42)	1	n/c	n/c	n/c	n/c
Grays Harbor	18	37.8	(28 - 52)	42.7	(32 - 57)	1	n/c	n/c	n/c	n/c
Island	10	17.9	(12 - 28)	23.1	(15 - 35)	1	n/c	n/c	n/c	n/c
Jefferson	7	32.8	(19 - 60)	37.4	(22 - 65)	1	n/c	n/c	n/c	n/c
King	203	19.5	(18 - 21)	23.6	(22 - 26)	14	1.1	(1 - 2)	1.5	(1 - 2)
Kitsap	25	17.9	(14 - 23)	21.8	(17 - 28)	1	n/c	n/c	n/c	n/c
Kittitas	4	21.3	(10 - 41)	25.0	(13 - 48)	0	n/c	n/c	n/c	n/c
Klickitat	2	18.7	(7 - 48)	21.7	(8 - 53)	0	n/c	n/c	n/c	n/c
Lewis	11	23.4	(16 - 35)	27.5	(19 - 40)	0	n/c	n/c	n/c	n/c
Lincoln	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
Mason	7	19.2	(11 - 33)	22.7	(14 - 38)	0	n/c	n/c	n/c	n/c
Okanogan	4	18.7	(9 - 36)	19.1	(10 - 37)	1	n/c	n/c	n/c	n/c
Pacific	3	15.6	(6 - 43)	16.7	(7 - 44)	1	n/c	n/c	n/c	n/c
Pend Oreille	2	41.4	(16 - 95)	41.1	(16 - 96)	0	n/c	n/c	n/c	n/c
Pierce	80	19.6	(17 - 22)	23.5	(21 - 27)	10	2.0	(1 - 3)	2.7	(2 - 4)
San Juan	2	19.4	(7 - 70)	24.7	(10 - 76)	0	n/c	n/c	n/c	n/c
Skagit	14	22.5	(16 - 32)	25.3	(18 - 35)	1	n/c	n/c	n/c	n/c
Skamania	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Snohomish	59	19.8	(17 - 23)	23.8	(20 - 28)	2	0.5	(0 - 1)	0.7	(0 - 2)
Spokane	51	18.1	(15 - 22)	21.8	(18 - 26)	5	1.4	(1 - 3)	1.8	(1 - 3)
Stevens	3	12.7	(5 - 29)	15.0	(6 - 33)	2	5.4	(1 - 18)	7.0	(2 - 21)
Thurston	28	23.3	(18 - 30)	26.8	(21 - 34)	3	1.8	(1 - 4)	2.5	(1 - 5)
Wahkiakum	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Walla Walla	10	25.5	(16 - 39)	29.7	(19 - 45)	1	n/c	n/c	n/c	n/c
Whatcom	25	28.5	(22 - 37)	32.3	(25 - 41)	1	n/c	n/c	n/c	n/c
Whitman	3	18.4	(8 - 36)	22.1	(10 - 43)	0	n/c	n/c	n/c	n/c
Yakima	20	15.4	(11 - 21)	17.3	(13 - 23)	3	1.6	(1 - 4)	2.1	(1 - 5)
Unidentified	3	.	n/c	.	n/c	0	n/c	n/c	n/c	n/c
State Total	701	20.0	(19 - 21)	23.8	(23 - 25)	55	1.2	(1 - 2)	1.7	(1 - 2)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Endometrium

1994 Washington State Female Residents

Incidence and Incidence Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	20	22.5	(13 - 36)	24.8	(15 - 40)
(2) Island, San Juan, Skagit	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	30	22.2	(14 - 35)	26.4	(18 - 40)
(3) Chelan, Douglas, Kittitas, Okanogan	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	22	21.9	(13 - 35)	23.7	(15 - 37)
(4) Kitsap	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	19	13.4	(8 - 22)	15.6	(9 - 26)
(5) Clallam, Jefferson, Mason	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	32	27.7	(18 - 44)	31.8	(21 - 49)
(6) Snohomish	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	66	21.4	(16 - 28)	25.9	(20 - 33)
(7) King	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	224	21.4	(19 - 25)	26.0	(23 - 30)
(8) Pierce	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	85	20.7	(16 - 26)	24.5	(19 - 31)
(9) Thurston	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	24	19.9	(12 - 31)	22.9	(14 - 35)
(10) Grays Harbor, Lewis, Pacific	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	34	31.7	(21 - 47)	35.6	(24 - 52)
(11) Clark	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	37	20.1	(14 - 29)	25.2	(18 - 36)
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	22	22.0	(13 - 37)	28.1	(17 - 45)
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	16	16.2	(9 - 29)	19.4	(11 - 33)
(14) Spokane	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	60	20.6	(15 - 28)	24.8	(19 - 33)
(15) Benton, Franklin	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	10	10.8	(5 - 21)	12.4	(6 - 24)
(16) Yakima	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	23	17.9	(11 - 29)	20.5	(13 - 32)
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	17	23.3	(13 - 40)	27.3	(16 - 46)
Unidentified	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
STATE TOTAL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	741	20.9	(19 - 23)	24.9	(23 - 27)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Endometrium

1994 Washington State Female Residents

Mortality and Mortality Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c
(2) Island, San Juan, Skagit	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	2	n/c	n/c	n/c	n/c
(3) Chelan, Douglas, Kittitas, Okanogan	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
(4) Kitsap	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
(5) Clallam, Jefferson, Mason	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c
(6) Snohomish	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
(7) King	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11	0.8	(0 - 2)	1.1	(1 - 2)
(8) Pierce	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	9	1.2	(0 - 3)	1.9	(1 - 4)
(9) Thurston	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c
(10) Grays Harbor, Lewis, Pacific	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c
(11) Clark	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	4	n/c	n/c	n/c	n/c
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	5	3.5	(1 - 12)	4.7	(1 - 14)
(14) Spokane	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	3	n/c	n/c	n/c	n/c
(15) Benton, Franklin	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
(16) Yakima	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	2	n/c	n/c	n/c	n/c
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
Unidentified	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c
STATE TOTAL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	40	0.7	(1 - 1)	1.0	(1 - 2)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.